

California All-Glass Door

CONSTRUCTION	Aluminum
THICKNESS	1 3/4"
INSULATION	Many insulated window options





CALIFORNIA, 9" X 7", CENTER LAYOUTS, BLACK ALUMINUM FRAME, CLEAR GLASS

Frame colors

Standard



Semi-custom¹



¹ Semi-custom color doors are coated with an acrylic resin-based liquid painting.



CALIFORNIA, 9" X 7'6" AND 12' X 7'6", CENTER LAYOUT AND OFFSET LAYOUT, BLACK ALUMINUM FRAME, WHITE SANDBLASTED GLASS

Layouts

TOTAL

No vertical stile. Maximum width of 9'2". Available only in Thermopane windows.

OFFSET

One vertical stile installed at a third of the width. Maximum width of 10'.

CENTER

One vertical stile installed at the center. Maximum width of 14'2".

GRID

Layout with more openings than the common layouts. Always equal width openings.

Windows

Types of glass

 SCREEN 4/5	 PINHEAD 4/5
 NIAGARA 3/5	 MIRRORPANE 2/5
 CLEAR 0/5	 WHITE SANDBLASTED 4/5
 GREEN TINTED 1/5	 GREY 1/5
 BRONZE TINTED 1/5	 BLACK SATIN 4/5
 TINTED 1/5	 DARK TINTED 2/5

(0/5 = clear, 5/5 = opaque)

See all possibilities and specifications about the windows. Visit garaga.com/california and click on Windows.

Glazing options

Materials Types of glass	Glass Single Pane	Glass Thermopane
Screen		●
Pinhead		●
Niagara		●
Mirrorpane		●
Clear	●	●
Clear Low-E		●
Clear Laminated		●
White Sandblasted	●	●
Green Tinted		●
Grey		
Bronze Tinted		●
Black Satin	●	●
Tinted	●	●
Dark Tinted		●
Glue Chip		●
Diamond		●

● = Available with the G-4400 (commercial version of the California door)

● = Available for California & G-4400

*Thermopane and Triple Wall Structure: low additional fees apply. Single Pane and Thermopane Glass have both sides tempered.

Construction details

Insulation level	Many insulated window options
Energy efficiency	
Soundproofing	
Rigidity	● ● ● ● ●
Construction	1 ¾" Full vision door 

Important: The full vision door should not be used for its insulation properties.

Garage door sizes: Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 1" increments. See your garage door dealer for more details on oversized doors available.



Tested in our certified Innovation Center, our doors resist strong winds. Our wind load reinforcement comes in multiple sizes and pressure ratings and meets Florida Building Code, Texas TDI and International Building Code requirements.

Warranty

10-year seal defect warranty and 1-year thermal break warranty.



CALIFORNIA, 12" X 7", GRID LAYOUT, BLACK ALUMINUM FRAME, CLEAR GLASS

LiftMaster®

POWERED BY myQ®

Smart and quiet openers

PREMIUM SERIES®



- Ultra quiet
- Belt or chain drive
- 1 ¼ HP, DC power
- Integrated 360° camera & battery backup



- Ultra quiet
- Jackshaft
- DC power
- Integrated battery backup

PLUS SERIES®



- Quiet
- Belt drive
- 1 HP, DC power
- Integrated 360° camera & battery backup

BASIC SERIES®



- Chain drive
- ¾ HP, DC power
- Integrated camera



1 800 464-2724
info@garaga.com
garaga.com

logo FSC

YOUR
GARAGA
DEALER

The colors are as exact as printing allows. The clarity of the wood grain and designs is optimized to provide a photographic rendering, not identical to the actual appearance. Please request a color sample. Trademarks and registered trademarks of Garaga Inc. are denoted by ™, ® and © respectively. © Garaga Inc. 2026 - All rights reserved - Printed in Canada - 95361/10/2026